Key Studies

The People Living with HIV Stigma Index

The stigma index among people living with HIV is 18.1%. The index represents the level of perceived stigma and discrimination experienced among people living with HIV

(Source: The People Living with HIV Stigma Index Study 2013).

Integrated Biological-Behavioral Surveillance Survey (IBBSS)

Prevalence

Female Sex Workers (FSWs) 11.1% (2011)

Men who have Sex with Men (MSM)

17.5% (2011)

Prison Inmates 2.3% (2013)

Ghana, 2014

People Living with HIV (PLHIV) 250,232

New HIV infections 11,356

AIDS - Related Deaths 9,248

Adult HIV Prevalence
1.47% (Spectrum) | 2.0% (GDHS)

Antiretroviral Therapy (ART) coverage among adults 34%

Pregnant women needing PMTCT Services 10,226

Pregnant women living with HIV who received ART for PMTCT 8,299

New child infections due to mother to child transmission 1,889

Numbers reached with HIV prevention interventions 916,608 General Population 34,740 FSW 19,105 MSM 4,856 Non PP 13.015 Prison Inmates

People who received HTC and who received their results 798,763

Condoms distributed 20,880,654

Ghana AIDS Commission






Ghana AIDS Commission, 4th Floor, Ghana Olympic Committee Building, P. O. Box CT 5169, Cantonments, Accra-Ghana info@ghanaids.gov.gh | www.ghanaids.gov.gh

NATIONAL ESTIMATES

PREVENTION INTERVENTIONS





(8%)



Total number of people who are newly infected with HIV 11.356



(0-14 years) 1,889



(15-24 years) 2,901 (26% of 11,356) Females 1.857

Males 1.044 (36% of 2.901)


Estimated Number of AIDS - Related Deaths

Total number of annual AIDS - related deaths 9.248

Adults (15+ years) 7.953 (86%)

Children (0-14 years) 1,295 (14%)

Estimated National HIV Prevalence



Estimated Antiretroviral Therapy (ART) Coverage



ART coverage among adults (15+ years) 34%



ART coverage among women (15+ years) 38%



ART coverage among children (0-14 years) living with HIV 22%

Prevention of Mother to Child Transmission (PMTCT)

of pregnant women needing PMTCT

Estimated number of pregnant women living with HIV anti-retroviral for preventing mother-to-child-8.299

of all positive pregnant women living with HIV for preventing mother-to-child

Estimated number of new child infections due to mother to

921 (49%)

Information Education and Communication (IEC) and Behaviour **Change Communication** (BCC) Coverage

General Population



Total number of people reached with HIV prevention interventions

916,608

Adults (25+ years) 345.618 (38%)

> Youth (10-24 years) (62%)

Key Populations

Female Sex Workers (FSW)

Total number of new FSWs reached with **HIV** prevention interventions 34.790

Total number of multiple service contacts made with FSW 72.480

Men who have Sex with Men (MSM)

Total number of new MSMs reached 19.105 Total number of multiple service contacts made

> Non Paying Partners (Non PP) of FSW


Total reached as new contacts








Total number of people who received HTS and who received their results 798.763



Total number who tested positive 43.694



Condom Distribution

Total number of condoms distributed 20.880.654

General population 7.801.912 (37%)

Key population 13.078.742 (63%)

General population

Male condoms 7,714,426 (99%)

Female condoms 87.486 (1%)

Key population

Male condoms 13.014.067 (99.5%)

Female condoms 64,675 (0.5%)



- Know Your HIV Status
- Use a Condom
- Reduce Sexual Partners